EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(coherent and "non-coherent" and modulation and receiv$3 and quadrature and layer$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:50
L4	0	(coherent$2 and (non adj coherent$2) and modulation and receiv$3 and quadrature and layer$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:50
L5	0	"10/068047"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L6	53	"238822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L7	19	"356906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L8	3	"356906" and EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L9	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L10	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L11	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L12	18	"5329311".pn. "5450623".pn. "5966186".pn. "6028894".pn. "6032026".pn. "6034952".pn. "6108374".pn. "6140809".pn. "6219095".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L13	4	"5430770".pn. "5966412".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L14	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L15	2	"6574235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L16	2	"5819157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L17	2	"6297691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L18	2	"5430770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L19	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09

EAST Search History

L20	7980	("non-coherent" or (non adj coherent) or noncoherent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L21	334	("non-coherent" or (non adj coherent) or noncoherent) and layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L22	10	("non-coherent" or (non adj coherent) or noncoherent) with layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L23	32	("non-coherent" or (non adj coherent) or noncoherent) same layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L24	20	("non-coherent" or (non adj coherent) or noncoherent) and (layered with modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L25	6	("5625640"|"6718184"|"6745050"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L26	12	("4800573"|"5467197"|"6266534"|"6433835"|"6574235"|"6597750"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L27	23	("non-coherent" or (non adj coherent) or noncoherent) and (layered same modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L28	2	"20050008100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L29	0	"10/068047"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L30	7980	("non-coherent" or (non adj coherent) or noncoherent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L31	334	("non-coherent" or (non adj coherent) or noncoherent) and layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L32	53	"238822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L33	19	"356906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L34	3	"356906" and EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L35	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L36	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L37	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L38	18	"5329311".pn. "5450623".pn. "5966186".pn. "6028894".pn. "6032026".pn. "6034952".pn. "6108374".pn. "6140809".pn. "6219095".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L39	4	"5430770".pn. "5966412".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L40	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L41	2	"6574235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L42	2	"5819157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L43	2	"6297691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L44	2	"5430770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L45	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09
L46	10	("non-coherent" or (non adj coherent) or noncoherent) with layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L47	32	("non-coherent" or (non adj coherent) or noncoherent) same layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L48	20	("non-coherent" or (non adj coherent) or noncoherent) and (layered with modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L49	6	("5625640"|"6718184"|"6745050"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L50	12	("4800573"|"5467197"|"6266534"|" 6433835"|"6574235"|"6597750"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L51	23	("non-coherent" or (non adj coherent) or noncoherent) and (layered same modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L52	2	"20050008100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L53	2	("5999793").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L54	10	("5121414"|"5579344"|"6055278"|"6144708"|"6330336").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L55	159	(legacy with signal) and (layer$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L56	26	(legacy with signal) with (layer$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L57	26	(legacy with (signal or system)) with (layer$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L58	38	(legacy with signal) same (layer$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L59	0	"10/068047"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L60	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09
L61	0	"10/068047"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L62	7980	("non-coherent" or (non adj coherent) or noncoherent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L63	334	("non-coherent" or (non adj coherent) or noncoherent) and layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L64	0	"10/068047"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L65	7980	("non-coherent" or (non adj coherent) or noncoherent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L66	334	("non-coherent" or (non adj coherent) or noncoherent) and layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L67	53	"238822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L68	19	"356906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L69	3	"356906" and EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L70	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L71	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L72	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L73	18	"5329311".pn. "5450623".pn. "5966186".pn. "6028894".pn. "6032026".pn. "6034952".pn. "6108374".pn. "6140809".pn. "6219095".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L74	4	"5430770".pn. "5966412".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L75	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L76	2	"6574235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L77	2	"5819157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L78	2	"6297691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L79	2	"5430770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L80	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09
L81	10	("non-coherent" or (non adj coherent) or noncoherent) with layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L82	32	("non-coherent" or (non adj coherent) or noncoherent) same layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L83	20	("non-coherent" or (non adj coherent) or noncoherent) and (layered with modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L84	6	("5625640"|"6718184"|"6745050"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L85	12	("4800573"|"5467197"|"6266534"|"6433835"|"6574235"|"6597750"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L86	23	("non-coherent" or (non adj coherent) or noncoherent) and (layered same modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L87	2	"20050008100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L88	53	"238822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L89	19	"356906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L90	3	"356906" and EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L91	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L92	15	"3383598".pn. "5577087".pn. "5602868".pn. "5815531".pn. "5960040".pn. "5987068".pn. "6275678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L93	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L94	18	"5329311".pn. "5450623".pn. "5966186".pn. "6028894".pn. "6032026".pn. "6034952".pn. "6108374".pn. "6140809".pn. "6219095".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L95	4	"5430770".pn. "5966412".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L96	4	"4039961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L97	2	"6574235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L98	2	"5819157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L99	2	"6297691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L100	2	"5430770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L101	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09
L102	10	("non-coherent" or (non adj coherent) or noncoherent) with layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L103	32	("non-coherent" or (non adj coherent) or noncoherent) same layered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L104	20	("non-coherent" or (non adj coherent) or noncoherent) and (layered with modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L105	6	("5625640"|"6718184"|"6745050").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L106	12	("4800573"|"5467197"|"6266534"|"6433835"|"6574235"|"6597750").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L107	23	("non-coherent" or (non adj coherent) or noncoherent) and (layered same modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L108	2	"20050008100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L109	13	("3849730" | "3878475").PN. OR ("4039961").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:09
L110	196	legacy with "non-legacy"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L111	64	legacy with "non-legacy" and broadcast$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L112	6245	coherent with "non-coherent"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

EAST Search History

L113	335	coherent with "non-coherent" with modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L114	5672754	coherent with "non-coherent" with modulationwith receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L115	78	coherent with "non-coherent" with modulation with receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L116	136	coherent same "non-coherent" same modulation with receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L117	301	coherent same "non-coherent" same modulation same receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L118	67	coherent same "non-coherent" same modulation same receiv$3 same quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09
L119	12	coherent same "non-coherent" same modulation same receiv$3 same quadrature same layer$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:09

Web Results **1 - 10** of about **571** for **coherent "non-coherent" modulation receiver and quadrature layered**. (**0.68** s

Scholarly articles for **coherent "non-coherent" modulation receiver and quadrature layered**

Code and Receiver Design for the Non-Coherent Fast ... - by Krishnamoorthy - 0 citations
DVB-S 2 backward-compatible modes: a bridge between the ... - by Chen - 3 citations
Session 1: Advances in Equalization Techniques - by Modulation - 0 citations

Phase-shift keying - Wikipedia, the free encyclopedia
... determine the exact phase of the received signal (it is a **non-coherent** scheme).
... The fastest four modes use forms of **quadrature** amplitude **modulation**. ...
en.wikipedia.org/wiki/Phase-shift_keying - 70k - Cached - Similar pages - Remove result

CommsDesign - Taking a **Non-Coherent** Approach to Wireless **Receiver** ...
However, a proposed **non-coherent receiver** has been investigated that can ...
as bandwidth-efficient **modulation**, the **non-coherent receiver** discussed here, ...
www.commsdesign.com/design_center/g3wireless/ design_corner/showArticle.jhtml?articleID=16700177 - 52k - Cached - Similar pages - Remove result

CommsDesign - Improving DQPSK **Receiver** Design for Satcom Apps
The BER simulation setup for the DQPSK **modulation** is shown in Figure 2. Note that the DQPSK detection is **non-coherent**, and thus does not require carrier ...
www.commsdesign.com/design_corner/OEG20030123S0010 - 60k - Cached - Similar pages - Remove result
[More results from www.commsdesign.com]

[PDF] ECE311 Dynamic Systems and Control
File Format: PDF/Adobe Acrobat - View as HTML
Sampling theorem, pulse amplitude **modulation**. Superhet **receiver**, frequency conversion.
... **non-coherent** detection, information theory, source encoding, ...
www.comm.toronto.edu/~frank/curric/area4.pdf - Similar pages - Remove result

[PS] ffl ECE311 Dynamic Systems and Control 1. CALENDAR DESCRIPTION An ...
File Format: Adobe PostScript - View as HTML
Pulse amplitude **modulation** Superhet **receiver**, frequency conversion W5: Basic ...
Signal space concepts, optimum receivers, **coherent** and **non-coherent** ...
www.comm.toronto.edu/~frank/curric/area4.ps - Similar pages - Remove result

Tech Archives IEEE 802.14-95/128
... (INTRA) **modulation** is formally proposed as a candidate for the PHY **layer** for
... An INTRA FM Modem can have gain in its **non-coherent receiver** (compared ...
www.broadbandphysics.com/ tech_archives/tech_doc_ieee95_128.html - 37k - Cached - Similar pages - Remove result

[PDF] EE4313 Active Circuit Design 1 Overview: giving an idea of the ...
File Format: PDF/Adobe Acrobat - View as HTML
... **Coherent** and **non-coherent** detection systems. ... in relation to chrominance signal, its construction and bandwidth, **modulation** technique, transmission ...
www.ii.uam.es/~europae/Archives/ Limerick%20Common%20Subject%20Contents.pdf - Supplemental Result - Similar pages - Remove result

[PDF] March, 2000 IEEE P802.15-00/077r1 IEEE P802.15 Wireless Personal ...
File Format: PDF/Adobe Acrobat
PHYsical **layer modulation** detail. Abstract ... **receiver** performance. This specification could be set to discourage **non-coherent** detection. methods. ...

grouper.ieee.org/.../2000/Mar00/00077r1P802-15_ HRSG-Case-for-DOQPSK-High-Rate-Physical-Medium-Modulation.pdf - Similar pages - Remove result

[PDF] On the Impact of the Physical **Layer** on Energy Consumption in ...
File Format: PDF/Adobe Acrobat - View as HTML
In the **non-coherent** case all squared magnitudes of the. incoming symbols are summed up, see Fig. 4. This can ... m-QAM (**Quadrature** Amplitude **Modulation**) ...
www.ifn.et.tu-dresden.de/MNS/ veroeffentlichungen/2005/Schwieger_K_EWSN_05.pdf - Similar pages - Remove result

[PDF] 1 Annual Review of ARO MURI: "Space-Time Processing for Enhanced ...
File Format: PDF/Adobe Acrobat - View as HTML
Offset **Quadrature** Phase-Shift Keying", Proceedings of the IEEE Workshop on Signal ... **coherent** (eg, differential) **modulation** versus **coherent** (eg, ...
cwc.ucsd.edu/MURI/July2005/MURI_ ANNUAL_REVIEW_AGENDA_AND_ABSTRACTS.pdf - Similar pages - Remove result

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

coherent "non-coherent" modulation Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Web Results **1** - **10** of about **85** for **coherent** "**non-coherent**" **modulation receiver quadrature** " **upper layer**". (**0.54** :

[PDF] ARCHITECTURE AND DESIGN OF THE "ROBMOD" TEST BED, A COMPREHENSIVE ...
File Format: PDF/Adobe Acrobat - View as HTML
the quasi-**coherent** soft-decision demodulation. Each **receiver** branch also ...
based on a cascade of **coherent** and **non-coherent** correlators integrating signal ...
www.estec.esa.nl/conferences/01C14/papers/6.3.pdf - Similar pages - Remove result

IEEE Vehicular Technology Conference, Stockholm, Spring 2005
... Multipath effect • **Coherent** vs. **non-coherent** • Adaptive tracking • Other structures
(MUD-like, RAKE-like ... Hybrid-ARQ, link adaptation, **modulation** and coding ...
www.ieeevtc.org/vtc2005spring/tutorials.html - 86k - Supplemental Result - Cached - Similar pages - Remove result

[PDF] Implementing physical and data link control layer on the GNU ...
File Format: PDF/Adobe Acrobat - View as HTML
forms services requested by the lower or **upper layer**. ... has good spectral
efficiency for a **non-coherent modulation** technique, and is less ...
typo3.cs.uni-paderborn.de/fileadmin/ Informatik/AG-Karl/Pubs/vmalm05-sa-gsr_aloha.pdf - Similar pages - Remove result

[PDF] Wireless corner - wireless communications and networking: an ...
File Format: PDF/Adobe Acrobat - View as HTML
quadrature amplitude **modulation**. **quadrature** phase-shift keying. pulse-code-**modulation**
... simple **non-coherent** detection implementation using ...
www.cse.fau.edu/~jie/teaching/ fall_2004_files/wirelesssurvey1.pdf - Similar pages - Remove result

[PS] 1 Wireless Communications & Networking: An overview Ramiro Jordan ...
File Format: Adobe PostScript - View as HTML
... Binary Phase Shift Keying (BPSK) **modulation** [18] or 2 Mbit/s with **Quadrature**
Phase ... The two-level GFSK modem allows simple **non-coherent** detection ...
www.eece.unm.edu/controls/papers/Jor_CTA.ps - Similar pages - Remove result

[PDF] Chapter #4 An Overview of IS-95 and cdma2000
File Format: PDF/Adobe Acrobat - View as HTML
of BPSK data **modulation** and balanced QPSK spreading. 3.1.5. **Coherent** Detection in
... 3 dB compared to **non-coherent** reception used by the second generation ...
www.geocities.com/rahulscdmapage/Technical/Chapter4.pdf - Similar pages - Remove result

[PDF] Advanced Communications Project
File Format: PDF/Adobe Acrobat - View as HTML
radio equipment in use today use BSPK or **Quadrature** Phase Shift Keying (QPSK).
modulation and readily ... advantage to use **coherent** over **non-coherent** FSK. ...
ntl.bts.gov/lib/6000/6800/6833/comms_tech_ref.pdf - Similar pages - Remove result

SPIE Proceedings Vol. 2699
... optimization of a high sensitive **coherent** detection and ... terminal is based on direct
modulation of semiconductor ... The beacon is a powerful **non-coherent** cw infra ...
www.spie.org/web/abstracts/2600/2699.html - 54k - Supplemental Result - Cached - Similar pages - Remove result

Radio Acronyms 4000+ (Always under construction) By Hugh Stegman ...
F2 In daytime, **upper layer** of F region F/B Front to back ratio (antennas) ...
Center for Environmental Prediction NCFSK **Non-Coherent** Frequency Shift Keying ...
www.ominous-valve.com/acronyms.txt - 207k - Cached - Similar pages - Remove result

[PDF] DVB-S2 backward-compatible modes: a bridge between the present and ...
File Format: PDF/Adobe Acrobat
The Layered **Modulation receiver** then regenerates the **upper-layer** signal using
... the legacy **upper-layer** signal are typically **non-coherent** with respect to ...
doi.wiley.com/10.1002/sat.794 - Similar pages - Remove result

Try your search again on Google Book Search

Goooooooogle ▶
Result Page: 1 2 3 4 5 6 7 **Next**

coherent "non-coherent" modulation Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Basic Search Advanced Search Search Preferences

coherent "non-coherent" modulation receiver quadratu Search

☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:**coherent** AND **"non-coherent"** AND **modulation** AND **receiver** AND **quadrature** AN

Found:: :**144 total | 0 journal results | 34 preferred web results | 110 other web results**

Sort by:: :**relevance | date**

Save checked results — Email checked results — Export checked results

1. D2_2_final.PDF [PDF-375K]
Jan 2001
...Locked Loop PSAM Pilot Symbol Assisted **Modulation** PSD Power Spectrum Density PSK Phase...WIND-FLEX Deliverable D2.2 6 (141) Q **Quadrature** QAM **Quadrature** Amplitude **Modulation** QoS Quality of Service RAM Random...with generators (37, 21) and with **non**-uniform interleaving N=256x256 on...
[http://www.vtt.fi/ele/research/tel/projects/windflexde...]
similar results

2. COHERENT TRACKING FOR FM IBOC RECEIVER USING A SWITCH DIVERSITY ANTENNA SYSTEM
KROEGER, Brian, William / PEYLA, Paul, James / BAIRD, Jeffrey, S. / IBIQUITY DIGITAL CORPORATION, *PATENT COOPERATION TREATY APPLICATION*, Jun 2005
...be tracked in the previous **receiver** modem resulting in degraded...This invention provides a **coherent** tracking method which accommodates...provides improvements to the **coherent** tracking algorithms which...due to impulsive noise or **non**-Gaussian noise such as from...addition, performance of **receivers** including fast Automatic...A method is provided for **coherently** tracking a radio signal including...
Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

3. IEEE Std 802.15.3-2003, Local and metropolitan area networksPart 15.3: Wireless MAC and PHY Specifications for High Rate WPANs [PDF-792K]
Jun 2004
...communication equipment via 2.4 GHz radio transmissions in a Wireless Personal Area Network (WPAN) using low power and multiple **modulation** formats to support scalable data rates is defined in this stan- dard. The Medium Access Control (MAC) sublayer protocol supports...
[http://www.stanford.edu/~mukesh/research/802.15.3.pdf]
similar results

4. METHOD AND APPARATUS FOR LAYERED MODULATION
CHEN, Ernest, C. / SANTORU, Joseph / HUGHES ELECTRONICS CORPORATION, *PATENT COOPERATION TREATY APPLICATION*, Jan 2004
...for layered **modulation** using **coherent** i UL and...downlink. A **receiver** 418 decodes...space. The **upper layer** and lower...412 can be **coherent** or **non-coherent**. [0068...exemplary **receiver** 500 of a layered **modulation** signal, similar...power of **upper-layer** noise (NU...

Refine you using thes found in t
access char
amplifier
bit rate
channel est
code divisio
control fielc
frequency c
keying
layered
mac protoc
multiplexin
personal ar
spreading f
wireless co
wireless ne
Or refine
All of the
Refine

Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

☐ **5.** http://www.its.bldrdoc.gov/proj [PDF-2MB]
May 2002
...interaction with a material medium. absorption **modulation**: Amplitude **modulation** of the output of a radio transmitter by means...completed because of a call-originator or a call-**receiver** facility requirement. Note: An access barred signal...
[http://www.its.bldrdoc.gov/projects/devglossary/other/...]
similar results

☐ **6.** Third Generation (3G) Wireless [Word-106K]
Nov 2003
...meets these targets via High Level **Modulation** (HLM) to the existing 30 kHz carrier...pedestrian/low mobility Multiple **Modulation** Formats (16QAM, QPSK, GMSK) Link...discussed in detail later) such as **coherent** detection on the uplink, and fast...improve power efficiency. The spreading **modulation** can be either balanced or dual-channel...MS uses soft combining in its rake **receivers**). However, due to many deployment...
[http://engr.smu.edu/~jseraj/Mobile%20IP%20paper/josue-...]
similar results

☐ **7.** LOWER COMPLEXITY LAYERED MODULATION SIGNAL PROCESSOR
CHEN, Ernest, C. / WANG, Weizheng / ZHOU, Guangcai / LIN, Tung-Sheng / SANTORU, Joseph / THE DIRECTV GROUP, INC., *PATENT COOPERATION TREATY APPLICATION*, May 2004
...move to a higher-order **modulation**, such as from **quadrature** phase shift keying (QPSK...keying (8PSK) or sixteen **quadrature** amplitude **modulation** (16QAM). Unfortunately, QPSK **receivers** cannot demodulate conventional...**modulation** signal, transmitting **non coherently** upper as well as lower...coded signal having an **upper layer** signal and a lower layer...
Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

☐ **8.** FEEDER LINK CONFIGURATIONS TO SUPPORT LAYERED MODULATION
ANDERSON, Paul, R. / SANTORU, Joseph / CHEN, Ernest, C. / THE DIRECTV GROUP, INC., *PATENT COOPERATION TREATY APPLICATION*, May 2004
...or sixteen **quadrature** amplitude **modulation** (16QAM). Unfortunately, QPSK **receivers** cannot demodulate...transmitting **non- coherently** (asynchronously...synchronous **modulation** on the satellite...combination with a **non-coherently** layered **modulation** downlink as...includes a first **receiver** for receiving...transmitting an **upper layer** signal of a...transmitting an **upper layer** signal of a...
Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

☐ **9.** Microsoft Word - tia136r5x4.doc [PDF-602K]
Oct 1998
...portion thereof, for monetary gain or any **non**-stated purposes is expressly prohibited...UWC-136 meets IMT-2000 objectives via **modulation** enhancement to the existing 30 kHz 14...transmission quality requirements from the **upper layer** to physical layers be common f
more hits from [http://www.tiaonline.org/standards/sfg/imt2k/uwc136r5....]
similar results

☐ **10.** TG-001-1-0-1 P25 Training Guide.indd [PDF-141K]
Oct 2005
...Industry Association is the leading U.S. **non**-profi t trade association serving the...radios use Continuous 4 level FM (C4FM) **non**-linear **modulation** for digital transmissions. Phase 1 P25-compliant...implementation involves time and frequency **modulation** schemes (e.g., TDMA and FDMA), with...information back to analog audio in the **receiver**. Error correction coding is added to...

[http://www.danelec.com/pdfs/P25%20Training%20Guide.pdf]

similar results

☐ **11.** thesis.book [PDF-310K]
Jul 2003
...Collaborative Technology Alliance through BAE Systems. Their support is sincerely appreciated. I would briefly like to cite the three **non**-academic institutions who provided the greatest positive impact on my quality of life during my graduate years at MIT: Apple...
[http://www.mit.edu/~rmin/research/min-phd-thesis.pdf]
similar results

☐ **12.** MAXIMIZING POWER AND SPECTRAL EFFICIENCIES FOR LAYERED AND CONVENTIONAL MODULATIONS
CHEN, Ernest, C. / THE DIRECTV GROUP, INC., *PATENT COOPERATION TREATY APPLICATION*, May 2004
...is to move to a 10 higher-order **modulation**, such as from **quadrature** phase shift keying (QPSK) to eight...shift keying (8PSK) or sixteen **quadrature** amplitude **modulation** (16QAM). Unfortunately, QPSK **receivers** cannot demodulate conventional...**modulation** signal, transmitting **non- coherently** both upper and lower layer signals...
Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

☐ **13.** articolo 1 [PDF-406K]
Feb 2004
...employs an 8-Phase Shift Keying (8-PSK) **modulation** in addition to **Quadrature** Phase Shift Keying (QPSK) **modulation** for the higher data rate services...implement advanced joint detection **receivers** and beam forming antennas promises...NUMBER 1 Relay Access Stratum (AS) **Non**-Access Stratum (NAS) GC Nt DC GC...in UTRA LCR-TDD and a higher order **modulation** scheme of 8-PSK may be adopted
[http://www.us.st.com/stonline/press/magazine/stjournal...]
similar results

☐ **14.** METHOD AND APPARATUS FOR TAILORING CARRIER POWER REQUIREMENTS ACCORDING TO AVAILABILITY IN LAYERED MODULATION SYSTEMS
CHEN, Ernest, C. / ANDERSON, Paul, R. / SANTORU, Joseph / HUGHES ELECTRONICS CORPORATION, *PATENT COOPERATION TREATY APPLICATION*, May 2004
...capacity is to move to a higher-order **modulation**, such as from **quadrature** phase shift keying (QPSK) to eight...shift keying (8PSK) or sixteen **quadrature** amplitude **modulation** (16QAM). Unfortunately, QPSK **receivers** cannot demodulate conventional...**modulation** signal, transmitting **non- coherently** both upper and lower layer signals...
Full text available at patent office. For more in-depth searching go to LexisNexis
similar results

☐ **15.** Vol 63 [PDF-224K]
Oct 2004
...counters to "Rest of the World" (ROW) mines and **non**- nuclear submarines. · Current thinking...environment. Sensor and weapon performance. **Non**- acoustic anti-submarine warfare. Tactical...Course Outline 1. Minehunting Environment and **Non**-Acoustic Sensors. Mine countermeasures doctrine...
more hits from [http://www.aticourses.com/sonar_radar_new.pdf]
similar results

☐ **16.** SG244465 [PDF-474K]
Aug 1998
...59 21. Frequency **Modulation** (FM) . . . . . 60 22. Phase **Modulation** (PM...66 25. **Quadrature** Amplitude **Modulation**...
[http://www.redbooks.ibm.com/redbooks/pdfs/sg244465.pdf]
similar results

☐ **17.** Microsoft Word - P810D2 [PDF-195K]
Mar 2000

...**modulation** and **coherent modulation**. **Coherent modulation** is the one chosen for HIPERLAN Type...more granularity. Besides, with **coherent** demodulation, link adaptation is...5 2.2 Multi-carrier **Modulation** COFDM...13 Figure 7: **Receiver** block diagram...47 Figure 24: **Non** RPPS GPS CBR downlink transmission...Link Connection DQPSK Differential **Quadrature** Phase Shift Keying EMAS- E End-us
more hits from [http://www.eurescom.de/~pub-deliverables/p800-series/P...]
similar results

☐ **18.** Space_Engineering_Paper.PDF [PDF-35K]
Dec 2001
...contract "Robust **Modulation** and Coding for...Generators, the **Upper-Layer** Protocols and the...including effects of **non**-linearity · ad-hoc...operation, though some **upper-layer** functionalities...by enriching the **upper-layer** functions, to more...satellite-handoffs with **coherent** combining · channel...multi-finger Rake **receivers**, one for the GW...
[http://www.estec.esa.nl/conferences/01C14/papers/6.3.p...]
similar results

☐ **19.** articolo 1 [PDF-406K]
Feb 2004
...employs an 8-Phase Shift Keying (8-PSK) **modulation** in addition to **Quadrature** Phase Shift Keying (QPSK) **modulation** for the higher data rate services...implement advanced joint detection **receivers** and beam forming antennas promises...NUMBER 1 Relay Access Stratum (AS) **Non**-Access Stratum (NAS) GC Nt DC GC...in UTRA LCR-TDD and a higher order **modulation** scheme of 8-PSK may be adopted
[http://us.st.com/stonline/press/magazine/stjournal/vol...]
similar results

☐ **20.** SPIE Proceedings Vol. 2699 [54K]
Jul 1996
...link at 1.3 um with **quadrature** amplitude **modulation** (Paper #: 2699-12...preamplifier direct-detection **receiver** (Paper #: 2699-24...2699-25) * Prototype of a **coherent** tracking and detection...communications, and **upper layer** satellites for large...**quadrature** amplitude **modulation**, pp.103-113 Author(s...electro-optic modulator. **Quadrature** amplitude **modulation** (QAM) is used to modulate...with respect to the **receiver** diameter and by incorporating...
more hits from [http://www.spie.org/web/abstracts/2600/2699.html]
similar results

fast

Results Pages: [<< Prev] 1 2 3 4 5 6 7 8 [Next >>] back to top

Results for "((coherent<in>metadata) <and> (non-coherent<in>metadata))<and> (upper..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

View Session History

New Search

Modify Search

((coherent<in>metadata) <and> (non-coherent<in>metadata))<and> (upper layer Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.